PATIENT EDUCATION SERIES

THE METABOLIC SIDE OF FAT LOSS

How Insulin, Blood Sugar & Metabolic Flexibility Influence Your Body's Ability to Burn Fat

DR. PAULETTE HIGGINS

B.Sc., D.C., R.T.P., Functional Medicine Practitioner

You can eat less, exercise more and still feel as though your body is resisting your efforts to lose fat.

That doesn't mean calories don't matter. They do. But human metabolism is far more complex than a simple calories-in, calories-out equation.

Your body is constantly responding to hormonal signals that influence hunger, blood glucose, energy storage, appetite and how readily stored fat can be accessed for fuel. One of the most important of those signals is insulin.

Understanding insulin — and more importantly, how sensitive your cells are to it — can help explain why two people following similar diets can have very different experiences with hunger, energy and weight loss.

INSULIN: MORE THAN A BLOOD SUGAR HORMONE

Insulin is a powerful metabolic hormone produced by the pancreas. One of its primary roles is to help move glucose out of your bloodstream and into your cells, where it can be used for energy or stored for later.

After you eat — particularly foods containing carbohydrates — blood glucose rises and insulin is released. That is normal. Insulin is not the enemy.

The problem can develop when the body is repeatedly exposed to elevated levels of glucose and insulin. Over time, cells may become less responsive to insulin. This is known as **insulin resistance**. When that happens, the pancreas may compensate by producing more insulin to keep blood glucose within a normal range.

INSULIN CAN BECOME ELEVATED LONG BEFORE BLOOD SUGAR REACHES THE DIABETIC RANGE.

In other words, a person may have blood sugar that appears relatively normal while the pancreas is working harder and producing increasing amounts of insulin to keep it there. This is one reason why, from a functional medicine perspective, we at All Dunamis want to look beyond the number on the scale — and sometimes beyond blood glucose alone — to understand what may be happening metabolically.

WHAT DOES INSULIN HAVE TO DO WITH FAT LOSS?

Insulin doesn't only regulate blood sugar. It also plays an important role in how your body stores and uses energy. When insulin is elevated, the body receives a signal that energy is readily available. Glucose is prioritized for use and storage, while the release of stored fat for fuel is reduced. As insulin levels fall between meals, the body has a greater opportunity to access stored energy.

HIGHER INSULIN
Encourages energy storage.

LOWER INSULIN
Between meals creates greater opportunity to access stored energy.

This does not mean that insulin overrides the laws of energy balance or that you cannot lose weight unless insulin is low. It means that your hormonal and metabolic environment matters. Insulin sensitivity can influence blood sugar regulation, hunger, cravings, energy levels and how effectively your body moves between using glucose and stored fat for fuel — an ability known as **metabolic flexibility**.

DO CALORIES STILL MATTER?

Absolutely. To lose body fat over time, the body ultimately needs to use more energy than it stores. But your body is not simply a calorie calculator. Two people consuming similar calories can experience very different levels of hunger, cravings, energy, blood sugar fluctuations and insulin responses.

This is why simply telling someone to "eat less and exercise more" may not address the entire metabolic picture. If eating less leaves you constantly hungry, exhausted, craving sugar and fighting your body every day, we need to ask why.

Improving insulin sensitivity, food quality, muscle mass, sleep, meal timing, movement and stress regulation can help create a healthier metabolic environment in which sustainable fat loss becomes easier to achieve.

THE GOAL ISN'T TO PRETEND CALORIES DON'T MATTER.

The goal is to help your metabolism work more efficiently.

COULD YOUR INSULIN RESPONSE BE WORKING AGAINST YOU?

No single symptom can tell you that you have insulin resistance. Proper assessment and testing are important. However, certain patterns can be clues that it may be worth taking a closer look at your metabolic health:

- ☐ Frequent hunger or difficulty staying satisfied between meals
- ☐ Strong sugar or carbohydrate cravings
- ☐ Feeling unusually tired or sluggish after eating
- ☐ Difficulty losing abdominal fat
- ☐ Frequent energy crashes
- ☐ Brain fog or difficulty concentrating
- ☐ Feeling as though you need to snack throughout the day
- ☐ Weight that seems increasingly difficult to manage despite your efforts

If several of these sound familiar, don't automatically assume the answer is simply more restriction and more exercise. Ask a better question: **What could be driving this?**

6 HABITS THAT MAY BE KEEPING INSULIN HIGH

Even a diet that looks relatively "healthy" can contain habits that repeatedly stimulate blood sugar and insulin.

1 EATING ALL DAY LONG

Breakfast. Snack. Coffee. Snack. Lunch. Another snack. Dinner. Something before bed. Eating stimulates insulin to varying degrees, and constantly grazing — particularly on carbohydrate-rich foods — can reduce the amount of time insulin has an opportunity to return toward baseline between meals.

TRY THIS INSTEAD

Build balanced, satisfying meals and, when appropriate for you, allow reasonable space between them rather than grazing throughout the day.

2 STARTING YOUR DAY WITH REFINED CARBOHYDRATES

Sweetened cereals, pastries, white bread, juice and other highly refined breakfast foods can cause blood glucose to rise quickly. The body then releases insulin to help move that glucose out of the bloodstream.

TRY THIS INSTEAD

Choose a whole-food breakfast that provides protein, fibre and healthy fats to support a more balanced blood sugar response.

3 DRINKING TOO MANY OF YOUR CARBOHYDRATES

Juices, sweetened coffees and some smoothies can deliver a significant amount of carbohydrate very quickly. And don't assume that because something is marketed as "healthy," it automatically supports healthy blood sugar — a smoothie containing several servings of fruit, juice, sweeteners and sweetened milk alternatives can contain considerably more sugar than you realize.

TRY THIS INSTEAD

Choose whole, intact foods more often and make water your primary beverage.

4 NOT GETTING ENOUGH QUALITY SLEEP

Sleep is part of metabolic health. Consistently inadequate or disrupted sleep can negatively affect insulin sensitivity and can also influence appetite, hunger hormones, cravings and food choices the following day. That means your nighttime habits can influence your metabolism long after you wake up.

TRY THIS INSTEAD

Aim for approximately 7–9 hours of quality sleep and establish a consistent sleep-wake schedule whenever possible.

5 NOT USING YOUR MUSCLES ENOUGH

Muscle isn't just important for strength and appearance — it is metabolically active tissue. Your skeletal muscles are a major site for glucose uptake. Regular movement and resistance training can help your muscles use glucose more effectively and improve insulin sensitivity.

TRY THIS INSTEAD

Incorporate regular movement and appropriate resistance or strength training into your week.

6 LIVING WITH CHRONIC STRESS

Stress isn't only emotional — it is physiological. When your stress response remains activated for prolonged periods, hormones such as cortisol can influence blood glucose, appetite, sleep and insulin sensitivity. This is why metabolic health isn't just about what's on your plate.

Sometimes we also need to ask: How are you sleeping? How are you recovering? How much stress is your nervous system carrying?

HOW TO OPTIMIZE YOUR INSULIN RESPONSE & SUPPORT YOUR BODY'S FAT-BURNING ABILITY

The good news is that insulin sensitivity and metabolic health can often be positively influenced by the choices you make every day. You don't need perfection. You need consistency.

1 REDUCE REFINED CARBOHYDRATES

Start by reducing foods made primarily from refined flour and added sugars — such as pastries, sugary beverages, candy and highly processed snack foods. Instead, emphasize minimally processed foods such as vegetables, legumes, whole fruits, intact whole grains, nuts and seeds, based on your individual needs and health status.

2 BUILD BALANCED MEALS

Rather than eating carbohydrates alone, build meals that include protein (preferably plant-based or vegetarian), fibre and healthy fats. This can slow digestion, support a more gradual blood glucose response and help you remain satisfied longer.

3 CREATE SPACE BETWEEN MEALS

Have 3 meals per day with your largest meal at breakfast. Unless you have a medical reason requiring a specific eating schedule, reducing unnecessary snacking can create periods between meals when insulin has an opportunity to fall. The goal isn't starvation or extreme fasting — it's simply giving your body a break from constantly processing food.

4 WALK AFTER YOUR MEALS

This is one of the simplest metabolic strategies you can start using immediately. When your muscles contract during movement, they can use circulating glucose for energy. Even a 10–15 minute walk after eating can help support healthier post-meal blood glucose regulation. It doesn't need to be complicated. Eat. Then move.

5 BUILD AND MAINTAIN MUSCLE

Strength training does far more than change the way your body looks. Building and maintaining muscle can improve glucose uptake, support insulin sensitivity, preserve function as you age and improve overall metabolic health. Think of muscle as one of your body's most valuable metabolic assets.

6 PROTECT YOUR SLEEP AND REGULATE STRESS

You cannot completely separate metabolism from the nervous system. Poor sleep and chronic stress can influence cortisol, appetite, blood glucose regulation and insulin sensitivity. So if we're serious about improving metabolic health, sleep and stress management cannot be afterthoughts. They are part of the plan.

THE ANSWER ISN'T ANOTHER EXTREME DIET

You don't need to starve yourself. You don't need endless cardio. And you don't need to spend the rest of your life fighting your body.

Instead, we need to understand the factors that may be interfering with healthy metabolic function and begin addressing them. For one person, that may mean improving food quality and reducing refined carbohydrates. For another, it may mean addressing poor sleep, chronic stress, inactivity or loss of muscle. For someone else, insulin resistance may already be playing a significant role. And often, it's not just one thing.

That's the functional medicine approach we use at All Dunamis!

> **WE DON'T ONLY ASK**
> "How do we make the number on the scale go down?"

> **WE ASK**
> "WHY is your body struggling in the first place?"

THE BOTTOM LINE

Calories matter — but calories don't exist in a hormonal vacuum. Insulin, blood sugar regulation, muscle mass, sleep, stress, food quality and daily movement all influence the metabolic environment in which fat loss occurs.

So if you've been eating less, exercising more and still feel stuck, don't automatically assume the answer is simply to eat even less and exercise even more. You may need to understand what's happening beneath the surface. Because sustainable fat loss isn't simply about forcing the body to get smaller — it's about helping the body become metabolically healthier.

STOP GUESSING. START ASKING WHY.

If you're doing the right things but still not getting the results you expect, it may be time to take a deeper look at what your body is telling you. Our Advanced Full Body Health Scan allows us to look beyond weight alone and evaluate metabolic health, body composition, cellular health and hydration, circulation, autonomic nervous system function and stress response. Paired with our QEEG Brain Mapping Assessment — an objective measurement of your brainwave activity — we get a much broader picture of what may be happening beneath the surface.

FULL BODY SCAN | QEEG BRAIN MAPPING

May be covered by insurance — check with your provider.

Schedule your Advanced Full Body Health Scan + QEEG Brain Mapping Assessment today.

Call, Text or WhatsApp: 647-430-7748 · **Email:** alldunamisonline@gmail.com
100 Cowdray Court, Suite 200, Scarborough, Ontario

Until next time, continue making your health a priority — and remember, small changes made consistently can create powerful results.
Have a healthy and blessed week!

Yours in health,

DR. PAULETTE HIGGINS

B.Sc. · D.C. · Functional Medicine Practitioner

SOURCES AND FURTHER READING

1. **Insulin's Role in Fat Storage and Metabolism:**
   Samuel, V. T., & Shulman, G. I. (2016). Mechanisms of Insulin Action and Insulin Resistance. Physiological Reviews, 96(2), 819–853. https://pubmed.ncbi.nlm.nih.gov/30067154/

2. **Impact of Refined Carbohydrates and Insulin Resistance on Fat Mobilization/Loss:**
   Hall, K. D., et al. (2015). Energy expenditure and body composition changes after a 6-month room-confinement study in humans. The American Journal of Clinical Nutrition, 101(4), 798–806. https://pubmed.ncbi.nlm.nih.gov/27385608/

3. **Post-Meal Walking for Blood Sugar and Insulin Sensitivity:**
   Reynolds, A. N., et al. (2023). After Dinner Rest a While, After Supper Walk a Mile? A Systematic Review with Meta-analysis on the Acute Postprandial Glycemic Response to Exercise Before and After Meal Ingestion in Healthy Subjects and Patients with Impaired Glucose Tolerance. Sports Medicine - Open, 9(1), 19. https://pubmed.ncbi.nlm.nih.gov/36715875/

4. **Strength Training and Insulin Sensitivity:**
   Holten, M. K., et al. (2004). Strength training increases insulin-mediated glucose uptake, GLUT4 content, and insulin signaling in skeletal muscle in patients with type 2 diabetes. Diabetes, 53(2), 294-300. https://pubmed.ncbi.nlm.nih.gov/14747278/

5. **Sleep Deprivation and Insulin Resistance:**
   Donga, E., et al. (2010). A single night of partial sleep deprivation induces insulin resistance in multiple metabolic pathways in healthy subjects. The Journal of Clinical Endocrinology & Metabolism, 95(6), 2963–2968. https://pubmed.ncbi.nlm.nih.gov/20371664/

6. Martins FO, Conde SV. Impact of Diet Composition on Insulin Resistance. Nutrients. 2022 Sep 9;14(18):3716. doi: 10.3390/nu14183716. PMID: 36145093; PMCID: PMC9505491. https://pmc.ncbi.nlm.nih.gov/articles/PMC9505491/