THE STRESS–METABOLISM CONNECTION

How Cortisol, Blood Sugar & Your Nervous System Can Influence Energy, Sleep and Stubborn Belly Fat

DR. PAULETTE HIGGINS — B.Sc., D.C., R.T.P., Functional Medicine Practitioner

You can eat well, exercise regularly and still feel tired, wired and frustrated with your body.

You wake up exhausted. You rely on caffeine to get through the morning. By afternoon, your energy crashes. At night, you're tired—but somehow you can't switch off. And despite trying to do all the “right” things, that stubborn weight around your midsection doesn't seem to move.

Sometimes we need to look beyond calories and exercise and ask a different question:

WHAT HAS YOUR BODY BEEN RESPONDING TO ALL DAY LONG?

Your metabolism does not operate independently of your brain and nervous system. Stress, sleep, blood sugar and hormones are constantly communicating with one another. And one of the most important hormones involved in that conversation is cortisol.

CORTISOL: MORE THAN JUST A “STRESS HORMONE”

Cortisol is produced by your adrenal glands, two small glands located above your kidneys. We often call cortisol the “stress hormone,” but cortisol itself isn't bad. In fact, you need it.

Cortisol helps regulate your blood sugar, blood pressure, immune function, metabolism and sleep-wake cycle. It also helps mobilize energy when your body needs to respond to a challenge.

Normally, cortisol follows a daily rhythm. Levels are generally higher around the time you wake up and gradually decline throughout the day, helping prepare your body for sleep at night.

Cortisol also rises when your brain perceives a threat. Your brain sends signals through what is known as the hypothalamic-pituitary-adrenal—or HPA—axis, ultimately telling the adrenal glands to release cortisol. This is part of your body's beautifully designed stress-response system.

THE PROBLEM ISN'T THAT YOUR BODY HAS A STRESS RESPONSE. THE PROBLEM IS WHEN THE STRESS RESPONSE IS REPEATEDLY ACTIVATED WITHOUT ADEQUATE RECOVERY.

YOUR BODY RESPONDS TO MORE THAN EMOTIONAL STRESS

When we say “stress,” most people immediately think about worry.

But your body can experience stress from many different sources.

Work deadlines. Financial pressure. Relationship challenges. Poor sleep. Illness. Overtraining. Undereating. Blood sugar fluctuations. Constant notifications. Never slowing down.

Your nervous system is continuously interpreting information and deciding whether your body needs to mobilize energy or recover.

The occasional stressful day isn't usually the issue. It's what happens when stress becomes your normal.

WHAT HAPPENS WHEN THE STRESS RESPONSE STAYS ACTIVATED?

In an appropriate amount, cortisol helps your body adapt. During a stressful situation, cortisol helps make glucose available in your bloodstream so that your brain and muscles have rapid access to energy. That's useful when you genuinely need to respond to a threat.

But when stress becomes chronic, repeated cortisol signalling can begin influencing several systems involved in metabolic health. It can affect:

- Blood sugar regulation
- Insulin sensitivity
- Appetite and cravings
- Sleep and circadian rhythm
- Digestion
- Recovery from exercise
- Muscle maintenance
- Where the body tends to accumulate fat

This is where the relationship between stress and metabolism becomes particularly important.

THE CORTISOL-BLOOD SUGAR CONNECTION

Your brain considers maintaining adequate blood glucose a priority.

When you're under stress, cortisol helps increase the availability of glucose so your body has readily accessible fuel. That's an appropriate survival response.

But when stress signalling occurs repeatedly, blood glucose may be elevated more often—and insulin may be called upon more frequently to help manage that glucose.

Over time, chronic stress combined with other metabolic factors may contribute to poorer insulin sensitivity.

And remember: Insulin is one of the major hormones involved in energy storage and fat metabolism.

This is why, from a functional medicine perspective, I don't believe we should look at cortisol, insulin, sleep or weight as completely separate issues. The systems of the body communicate with one another.

THE CORTISOL-BELLY FAT CONNECTION

Let's be clear: cortisol alone does not cause weight gain. Body weight and body composition are influenced by many factors. However, chronic stress and altered cortisol regulation can create a metabolic environment that makes weight management more challenging.

Stress can increase appetite and cravings for highly palatable foods. Poor sleep can further disrupt appetite regulation. Insulin sensitivity can be affected. Physical activity may decrease because you're exhausted.

And research has also found associations between greater cortisol responses to stress and central—or abdominal—fat distribution.

SO THAT STUBBORN BELLY FAT MAY NOT SIMPLY BE TELLING YOU TO "EAT LESS." SOMETIMES WE NEED TO LOOK AT THE BIGGER PICTURE.

COULD YOUR STRESS RESPONSE BE WORKING OVERTIME?

You cannot diagnose a cortisol disorder based on symptoms alone. These symptoms can have many different causes and should be properly assessed when persistent.

But certain patterns may suggest that your body is under more physiological stress than you realize:

- You wake up tired despite spending enough time in bed
- You feel tired during the day but "wired" at night
- You have difficulty falling or staying asleep
- You experience frequent sugar, caffeine or salty-food cravings
- Your energy rises and crashes throughout the day
- You find it difficult to lose abdominal fat
- You feel mentally foggy or easily overwhelmed
- You struggle to recover from exercise
- You feel as though you're constantly "on"
- Your digestion seems worse when you're stressed

These aren't diagnoses. They're clues. And in functional medicine, clues matter because they help us begin asking: What is driving the pattern?

WHY SLEEP MATTERS MORE THAN YOU THINK

Sleep isn't simply the time when you're unconscious. Sleep is active metabolic recovery.

Your circadian rhythm helps coordinate the timing of cortisol, melatonin and many other physiological processes.

Ideally, cortisol and alertness increase around the beginning of your day while your body prepares for activity. As evening approaches, the signals supporting wakefulness should decrease while your body prepares for sleep.

When sleep is consistently shortened, disrupted or poorly timed, this normal rhythm can be affected. And the consequences don't necessarily stop with feeling tired.

Poor sleep can also affect insulin sensitivity, appetite, food choices, energy and stress resilience.

This is why I tell patients:

YOU CANNOT SEPARATE METABOLIC HEALTH FROM SLEEP.

HOW TO SUPPORT A HEALTHIER STRESS RESPONSE NATURALLY

You don't need to eliminate every stressful situation from your life. That's neither realistic nor necessary. The goal is to help your nervous system become better at moving between activation and recovery. Here are some simple places to start.

1. **Breathe Before You Eat**

   Before your first bite, slow down. Take five slow, controlled breaths. Slow breathing can help shift autonomic activity toward a more relaxed state and prepare the body for digestion. Your digestive system works best when your body isn't behaving as though it's running from an emergency. Slow down. Breathe. Then eat.

2. **Get Morning Light**

   Your body has an internal clock, and light is one of its most important signals. Exposure to natural morning light helps reinforce your circadian rhythm, supporting appropriate timing of wakefulness and sleep. When possible, step outside in the morning rather than getting your first “light exposure” exclusively from your phone.

3. **Walk After Meals**

   This is one of my favourite recommendations because you're supporting several systems at once. A 10–15 minute walk after eating can help your muscles use glucose and support healthier post-meal blood sugar regulation. Walking can also provide a mental break from the constant stimulation of your day. Eat. Then move. Simple—but powerful.

4 **Build and Maintain Muscle**

Exercise itself is a physiological stressor—and that's not necessarily bad. The right amount of stress followed by adequate recovery makes the body more resilient. Regular resistance training can support muscle mass, glucose metabolism, insulin sensitivity, functional capacity and long-term metabolic health. The key is balance. More exercise is not automatically better exercise. Your training program should challenge your body without continually overwhelming its ability to recover.

5 **Protect Your Evening**

Your brain needs signals that the day is ending. Constant stimulation from work, television, social media and smartphones can make that transition more difficult. Create a 30–60 minute wind-down period when possible. Dim the lights. Reduce stimulating content. Put the phone down. Stretch. Pray. Read. Breathe. Give your brain permission to stop performing for the day.

WHAT SHOULD YOU EAT TO SUPPORT YOUR STRESS RESPONSE?

There isn't one magical “cortisol-lowering” food.

Instead, focus on giving your body the nutrients it needs to support healthy nervous-system and metabolic function.

Magnesium-rich foods such as leafy greens, pumpkin seeds, legumes, nuts and avocado can contribute to adequate magnesium intake.

Omega-3 fatty acids from foods such as salmon, sardines, chia seeds and walnuts can support overall cardiovascular and inflammatory health.

Adequate protein helps support muscle maintenance and satiety and can be incorporated into balanced meals to support steadier blood glucose.

B-vitamin-containing foods such as legumes, leafy greens and intact whole grains provide nutrients involved in normal energy metabolism and nervous-system function.

And don't overlook fibre-rich whole foods. Supporting the gut microbiome is another important part of the larger gut-brain-metabolic picture.

WHAT ABOUT SKIPPING MEALS?

This is where personalization matters.

Fasting can be useful for some individuals, but more fasting isn't automatically better. For someone who is already under significant physiological stress, sleeping poorly, undereating or experiencing unstable blood glucose, aggressive fasting may not be the first place I would start. Likewise, constantly eating throughout the day isn't necessarily the answer.

The goal is metabolic stability. For many people, that means eating balanced, nutrient-dense meals, minimizing unnecessary grazing and creating an eating pattern appropriate for their individual health needs. There is no one-size-fits-all metabolic prescription.

STRESS ISN'T JUST IN YOUR HEAD

This may be the most important thing I want you to understand.

Stress produces real physiological responses.

Your brain communicates with your nervous system. Your nervous system communicates with your endocrine system. Hormones influence blood sugar. Blood sugar influences insulin. Sleep influences virtually all of them.

That's why we can't always separate: Stress. Sleep. Blood sugar. Gut health. Hormones. Weight. Nervous System.

They are interconnected.

This is the All Dunamis Functional Medicine approach: looking at the connections and the root cause rather than treating every symptom as though it exists in isolation.

THE BOTTOM LINE

Cortisol is not your enemy. It is an essential hormone designed to help you wake up, respond, adapt and survive. The goal isn't to drive cortisol as low as possible. The goal is appropriate cortisol at the appropriate time.

If you're constantly exhausted, craving sugar, sleeping poorly and struggling with stubborn abdominal weight, don't simply assume you need more discipline, fewer calories or harder workouts. Your body may be asking for something different. It may need better sleep. Better blood sugar regulation. More appropriate movement. Better nutrition. More recovery. Or a closer look at how your brain, nervous system and metabolism are communicating.

DON'T JUST MANAGE THE SYMPTOMS. START ASKING WHY.

READY TO LOOK BENEATH THE SURFACE?

At The All Dunamis Lifestyle Centre, we don't believe in guesswork.

Our Advanced Full Body Health Assessment allows us to look beyond symptoms and evaluate important indicators related to metabolic health, cellular health, body composition, circulation, autonomic nervous system balance, stress and recovery, and more.

And because chronic stress begins with the way the brain and nervous system process and respond to the world around us, our QEEG Brain Mapping Assessment provides an objective look at brainwave patterns that can help guide an individualized approach to neurofeedback and nervous-system support.

Together, these assessments help us see a broader picture of what may be happening beneath the surface. Your symptoms tell us where to look. Your data helps us understand WHY.

Schedule your Advanced Full Body Health Assessment + QEEG Brain Mapping Assessment with All Dunamis Lifestyle Centre.

Until next time, continue making your health a priority—and remember, small changes made consistently can create powerful results.

Make it a healthy and blessed day!

Yours In Great Health,

DR. PAULETTE HIGGINS

B.Sc. · D.C. · Functional Medicine Practitioner

SOURCES AND FURTHER READ:

1. Epel, E. et al. (2000). Stress and body shape: Stress-induced cortisol secretion is consistently greater among women with central fat. *Obesity Research*, 8(6), 505-511. PubMed
2. Ma, X. et al. (2017). The effect of diaphragmatic breathing on attention, negative affect, and stress in healthy adults. *Frontiers in Psychology.* PubMed
3. Zouhal, H. et al. (2008). Catecholamines and the effects of exercise, training and gender. *Sports Medicine*, 38(5), 401-423. PubMed
4. O'Byrne NA, Yuen F, Butt WZ, Liu PY. Sleep and Circadian Regulation of Cortisol: A Short Review. *Curr Opin Endocr Metab Res.* 2021 Jun;18:178-186. doi: 10.1016/j.coemr.2021.03.011. Epub 2021 May 5. PMID: 35128146; PMCID: PMC8813037. PMC
5. Sinha R, Gu P, Hart R, Guarnaccia JB. Food craving, cortisol and ghrelin responses in modeling highly palatable snack intake in the laboratory. *Physiol Behav.* 2019 Sep 1;208:112563. doi: 10.1016/j.physbeh.2019.112563. Epub 2019 May 27. PMID: 31145919; PMCID: PMC6620125. PubMed
6. Velasco-Orjuela GP, Domínguez-Sanchéz MA, Hernández E, Correa-Bautista JE, Triana-Reina HR, García-Hermoso A, Peña-Ibagon JC, Izquierdo M, Cadore EL, Hackney AC, Ramírez-Vélez R. Acute effects of high-intensity interval, resistance or combined exercise protocols on testosterone - cortisol responses in inactive overweight individuals. *Physiol Behav.* 2018 Oct 1;194:401-409. doi: 10.1016/j.physbeh.2018.06.034. Epub 2018 Jun 22. PMID: 29940266. PubMed
7. Scheer FA, Buijs RM. Light affects morning salivary cortisol in humans. *J Clin Endocrinol Metab.* 1999 Sep;84(9):3395-8. doi: 10.1210/jcem.84.9.6102. PMID: 10487717. PubMed